

## 2K Spray Topcoat

Endura 2K Spray is Endura two component coatings packaged in easy to use aerosol cans.

### Product Features

- ◆ Twice the volume solids of conventional aerosol products
- ◆ Professional spray gun quality results
- ◆ Easy to Use
- ◆ No mess or measuring
- ◆ Quick activation
- ◆ No equipment needed

### Theoretical Solids

#### Content:

Volume: N/A  
Depending on product,  
please see specific product  
TDS for more information

### Shelf Life\*

(1) One Year

\*For un-activated product.

### Pot Life of Mixed

#### Product:

24 Hours @ 77°F (25°C)  
and 50% RH  
Once activated the Endura  
2K spray remains spray-able  
for one day.



### Suitability

Endura 2K spray Topcoat is a high performance coating excellent for repairs, or for painting smaller projects.

Please read the technical Data Sheet for the specific product being sprayed for additional important suitability and surface preparation information.

### Activating 2K Spray



Shake can vigorously for 2 minutes (after mixing ball rattles) minimum before activating.



To Activate: Take red button from cap and attach it to the pin on the aerosol bottom. Put aerosol with cap upside down on a stable surface.



Press red button with the ball of your hand until stop is reached.



Shake aerosol again vigorously for 2 minutes more to mix paint with hardener.

### Current Endura 2K products

Endura 2K aerosols are currently available in the following products:

- ◆ EX-2C Topcoat (EX-2C, Release Anti Graffiti, EasyClean)

### Environmental Conditions

For optimum coating performance product, substrate and ambient temperature should be between 20°C-25°C\* (68°F-77°F). To prevent condensation during application the surface temperature must be 3°C (5°F) or more above the dew point at all times.

\*for use outside this range please contact your Endura representative.

### Application Method

Once product is activated, do a test spray to check nozzle flow, substrate compatibility and color correctness. The spray fan can be adjusted for vertical or horizontal spray, by turning the yellow nozzle orifice. Spraying distance is 8-10 inches from the surface being painted.



### Clean Up

To prevent the nozzle from clogging, turn can upside down and spray nozzle until only propellant is being sprayed (approx 2 seconds) between uses.

When work is finished, reverse aerosol and spray valve empty. The emptied aerosols are suitable for household collection.